

Gripmax Vibration Isolator Car Mount (CM-GPMX)

Assembly Manual



What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.

Note: If you have purchased (CM-GPMX-00) kit, you will receive the following:



Gimbal Vibration Isolator



4 x Rubber Sleeves



2 x Safety Belts



Hard Case



4 x Suction Cups with Rosette Extension Arms



4 x Dust Covers


All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photo-copying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the Publisher.

Note: If you have purchased (CM-GPMX-01) kit, you will receive the following:



Gimbal Vibration Isolator



4 x Rubber Sleeves



2 x Safety Belts



Flight Case



4 x Suction Cups with Rosette Extension Arms




4 x Dust Covers

Gripmax Setup

To guarantee proper adhesion of suction cups, check that the surfaces of cup & mounting surface are clean, dry & dust-free. Please mount it on smooth, even & non-porous surfaces.

- Remove dust cover and place your first suction cup on selected position where you want to shoot.
- Press down the suction cup and keep pushing pump to firmly fix it on surface. Repeat this process for all suction cups.
- You can easily adjust/level angle of each arm through the provided knob in 360° rotation, which gives extra flexibility, and thus you can mount cups to virtually any part of vehicle.



- You can extend the length of Rosette Arms from 12.5cm to 17.5cm with help of red knob as per your setup requirement.



- Adjust/rotate ARRI Standard Rosette bearings up to 270° to your requirements, with help of provided knob.




- Attach Gimbal Vibration Isolator Plate with Rosette Extension Arms and secure it carefully by tightening the knobs.




- There is a provision to mount V-mount battery (Not Included) on V-mount battery plate.



- Although the Gripmax's holding force is adequate for regular driving shots, safety belts/tension straps must be used for additional security. When mounted on cars, the objects attached to Gripmax (e.g. camera, gimbal, etc.) have to be secured additionally. Use rubber sleeves to avoid dents and scratches on car paint. Tighten tension straps carefully to avoid damages.



Note: Test all fixtures before driving.



YOUR PROAIM GRIPMAX VIBRATION ISOLATOR SUCTION CAR MOUNT ALL DRESSED UP AND READY TO GO!



(SHOWN WITH OPTIONAL ACCESSORIES)

Warranty: We offer one year warranty for our products from date of purchase. Within this period of time, we will repair it without charge for labor or parts. Warranty doesn't cover transportation costs nor does it cover a product subjected to misuse or accidental damage. Warranty repairs are subjected to inspection and evaluation by us.

Liability: We are not liable for damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product, or service by anyone other than our company.

Contact Us: In case of any kind of dissatisfaction, please Contact us immediately and we promise our utmost support and care until you use our product.