

OPTIMO ULTRA 12x

The long-range cinema zoom reference redefined

Supports Multiple Imaging Formats thanks to Angenieux IRO technology[®]

The New Generation High End 12x Cine Zoom

Successor model to industry reference OPTIMO 24-290 & 28-340, the Optimo Ultra 12x is the ideal long-range zoom for high-end productions: Feature Films, TV Series, Live Stage, Commercials, Music Videos. The lens features a totally new optical & mechanical design, offering even better optical performance, and improved mechanical stability and serviceability. Thanks to the IRO technology® the lens can be configured in three different versions: S35 (Ø31.1mm), U35(Ø34.6mm) and FF/VV(Ø46.3mm) with dedicated sets of rear and rings.

NEW OPTICAL DESIGN

- ◆ Completely new optical design to enable Full Frame Coverage
- ◆ Well controlled optical performances at each focal length and focus distance by having a good balance between contrast and resolution—appealing cinematic look
- ◆ Superb image quality from open aperture, considered as “variable primes”
- ◆ Low distortion
- ◆ No ramping, minimal breathing, very fast for 12x zoom ratios
- ◆ Efficient use of aspherical elements to minimize color fringing
- ◆ Very short MOD : 1.22m/4' for the S35 version - 1.24m /4' 1” for the U35 version - ≤1.5m /5' for the FF/VV version

NEW MECHANICAL DESIGN

- ◆ Completely newly designed mechanics vs. 24-290 & 28-340
- ◆ Improved mechanical stability, and serviceability
- ◆ Weight reduction of moving components
- ◆ Reduce dust inhale by improving air flow and adding dust traps
- ◆ Precise and ergonomic focus ring with scale rotation of 321 degrees, the largest in the industry and over 70 focus marks.
- ◆ User changeable focus marking rings (focusing scales available in feet or metric)
- ◆ Mechanical components based on light-weight material with dedicated anti-abrasion coating
- ◆ Adapted to extreme shooting environments (passive athermalisation from -20°C to +40°C)
- ◆ PL mount lens. Additional lens mounts to come.

MULTIPLE IMAGE FORMAT COVERAGE

Two packages available :

- ◆ Zoom S35 + U35 Kit (Standard Optimo Ultra 12X package)
- ◆ Zoom S35 + U35 kit + FF/VV kit (Full Optimo Ultra 12X package)



IRO Interchangeable
Rear
Optics
Technology®

Angénieux innovative modular design allows users to configure lenses optimized for different image circle sizes.

Available accessories



Optimo
Extenders
1.4x and 2x



Lens
Carrying
Handle



Front
Protective
Glass



	S35	U35	FF/VV
Focal Range	24-290mm	26-320mm	36-435mm
Aperture	T2.8	T3.1	T4.2
Image Circle	31.1mm	34.6mm	46.3mm
Weight	12.6kg / 27.7lbs	12.75kg/28.1lbs	12.75kg/28.1lbs



OUR OFFICES AROUND THE WORLD:

THALES ANGENIEUX IN THE UNITED STATES BY THALES AVIONICS

140 Centennial Avenue
Piscataway
New Jersey 08854 - USA
Tel: 1 973 812 3858
angenieux@tccus.com

THALES ANGENIEUX IN ASIA PACIFIC C/O CINE EQUIPMENT

10C Jalan Ampas #08-02 Ho Seng Lee
Flatted Warehouse Singapore 329513
Tel: +65 96 32 62 25
frank.goh@asia.thalesgroup.com

THALES ANGENIEUX IN JAPAN KOREA BY THALES JAPAN K.K.

Akasaka Tameike Tower 8F
2-17-7 Akasaka
Minato-Ku, Tokyo 107-0052 Japan
Tel: +81 90 8943 2557
yasuhiko.mikami@asia.thalesgroup.com

THALES ANGENIEUX HEADQUARTERS FOR THE REST OF THE WORLD

Boulevard Ravel de Malval
42570 Saint-Héand - FRANCE
Tel: +33 (0)4 77 90 78 00
angenieux@fr.thalesgroup.com



For any question regarding Sales or Service, please contact your local Angénieux partner. Full list on www.angenieux.com



#angenieux | @angenieuxlenses | www.angenieux.com